TRAIL CAMERAS & MONITORING SYSTEMS

2013

PRODUCT CATALOG



CONTACT

Technical Support: tech@spypoint.com
Information: info@spypoint.com
Sales Department: sales@spypoint.com

UNITED STATES

555 VT route 78
Swanton,Vermont
05488

Toll free:
1 888 SPY POINT

Fax: 819-751-7000

CANADA

120 J.-Aurèle-Roux
Victoriaville, Québec
G6T 0N5

Tel: 514-868-1811

Toll free:
1 888 SPY POINT

Fax: 819-751-7000

EUROPE

Harzblick 25
99768 Harztor OT Ilfeld
Germany

Tel: +49 (0)
36331-50540

Fax: +49 (0)
36331-505422

GG Telecom is specialized in the conception and manufacturing of infrared surveillance systems. These systems are mainly used for hunting and residential / commercial surveillance.

Established in Victoriaville (Qc, Canada) and Swanton (VT, USA), the company is growing very fast because of its up to date surveillance system developed by highly qualified engineers. The high quality photos and videos, the user friendly products and the excellent trilingual customer service is what makes our good reputation at GG Telecom.

The *SPYPOINT* systems are distributed and shipped all over the world and the market never stops growing.

It is a pleasure for us to help you discover our products in this catalog.

SPYPOINT ADVANTAGES

USER FRIENDLY:

SPYPOINT cameras are developed for easy usage. Using the quick reminder sticker inside the internal enclosure of the camera, the user will be able to operate the camera without referring to the user manual. The user manual is available in English, French and German. The removable internal camera is also very practical for easy manipulation.

RESISTANT:

SPYPOINT cameras are designed to perform in cold weather conditions especially when combined with a 12 volt or a rechargeable lithium battery, which is less affected by cold temperatures.

CUSTOMER SERVICE:

SPYPOINT offers an excellent customer service, accompanied by a qualified technical support staff. Short repair delay and good technical support are part of our priorities.

FREE SOFTWARE UPDATE:

SPYPOINT cameras have the ability to upgrade their software. Consumers can download the latest software update directly from our website at no charge. This feature allows the consumer to keep his camera up-to-date without any return process.

WIDE PRODUCT RANGE:

SPYPOINT offer customers a wide range of products. Whether you are looking for a wireless motion detection system, an HD trail camera with wireless backup or a cellular camera, we have what you need!

REMOS TECHNOLOGY

SPYPOINT's high end products now include the new *Remos* technology. All *Remos* compatible cameras benefit from wireless capabilities and can be combined with:

- *RC-1* – Remote control (control of the camera remotely)
- *MS-1* – Motion sensor (trigger of the camera remotely)
- *IRB-W* – Infrared Booster (increases the lighting power)

Look for *Remos* compatible products in this catalog.

TABLE OF CONTENT

Cameras:

Infrared Cameras & Infrared/Flash Cameras ..... p. 3
TINY Series Cameras (non wireless) ..... p. 4
Black LEDs Cameras ..... p. 5
High Definition Cameras ..... p. 6
TINY-W Series Cameras (wireless) ..... p. 7-8
Cellular & WiFi Cameras ..... p. 9-10

Wireless Infrared Booster & Wireless Motion Detection System ..... p. 11

Action Video Cameras ..... p. 12

Audio Repeller ..... p. 13

Ear Muffs & Electronic Ear Muffs ..... p. 15

Game Caller ..... p. 16

Game Attractant p.17

Accessories:

Power ..... p. 13
Installation & Security / Memories & Viewers ..... p. 14
Outdoors ..... p. 18

INFRARED & IR/FLASH TRAIL CAMERAS

REMOS TECHNOLOGY

* *I-6* model

* *FL-8* model

Infrared unit (included)

35 LEDs 6 MEGA-PIXEL VIDEO CAPABLE

REMOVABLE INTERNAL CAMERA

USER FRIENDLY SWITCH PANEL

35 LEDs OR FLASH 8 MEGA-PIXEL VIDEO RECORDING WITH SOUND

The *FL-8* includes two lighting units to meet the needs of each user. The flash unit allows the capture of full color pictures even at night.

FEATURES FOR ALL INFRARED CAMERAS:

Color pictures by day, black and white by night • Date, time, moon phase and temperature stamp on pictures • Requires an SD/SDHC card up to 32 GB (not included) • USB and TV port (NTSC/PAL) • Adjustable distance detection sensor (5 to 50ft) • Requires 6 alkaline AA batteries (not included) • Can be powered by a rechargeable lithium battery pack *LIT-09* (not included) • 12 volt external jack

Model	Resolution	LEDs	Type of LEDs	Viewing Screen	Sound Recording	Video Recording	Multi-shot	Solar panel compatible	*Remos* compatible	Available in camo	Available in black
*I-6**	6 MP	35 LEDs	Infrared	No	No	640 x 480	4 pictures	No	No	Yes	No
*FL-8**	8 MP	35 LEDs/Flash	Infrared	No	Yes	640 x 480	4 pictures	Yes	Yes	Yes	No
HD-7	7 MP	46 LEDs	Infrared	No	Yes	HD (720p)	4 pictures	Yes	No	Yes	No

REMOS TECHNOLOGY

INVISIBLE BLACK LEDs

* *TINY-3* model

TINY SERIES (NON WIRELESS)

TRAIL CAMERAS

38 LEDs

HD VIDEO WITH SOUND

10 MEGA-PIXEL

2.4" VIEWING SCREEN

The *TINY-3* camera has two side sensors in addition to the middle one to improve the response time during motion detection. It is also compatible with the *TINY-W3* wireless system (page 8) when the antenna (supplied) is installed.

CAN BE ADDED TO THE TINY-W3 WIRELESS SYSTEM

TINY-3 (ANTENNA INCLUDED) + TINY-W3 WIRELESS SYSTEM

FEATURES FOR ALL TINY CAMERAS:

3 sensors for a total of 7 zone detection range • Color pictures by day, black and white by night • Adjustable period of operation • Date, time, moon phase and temperature stamp on pictures • Requires an SD/SDHC card up to 32 GB (not included) • USB and TV port (NTSC/PAL) • Adjustable distance detection sensor (5 to 50ft) • Requires 6 alkaline AA batteries (not included) • Can be powered by a rechargeable lithium battery pack *LIT-09* (not included) • 12 volt external jack • External trigger jack

Model	Resolution	LEDs	Type of LEDs	Viewing Screen	Sound Recording	Video Recording	Multi-shot	Time-Lapse Mode	Solar panel compatible	Instant trigger	*Remos* compatible	Available in camo	Available in black
TINY-HD	8 MP	38 LEDs	Infrared	2.4"	Yes	HD (720p)	6 pictures	Yes	Yes	in Electricity mode	No	Yes	No
*TINY-3**	10 MP	38 LEDs	Black	2.4"	Yes	HD (720p)	6 pictures	Yes	Yes	in Electricity mode	Yes	Yes	Yes

INVISIBLE BLACK LEDs

BLACK LEDS TRAIL CAMERAS

46 LEDs

10 MEGA-PIXEL

HD VIDEO WITH SOUND

2.4" VIEWING SCREEN

The **Black** LEDs trail cameras are equipped with special infrared LEDs providing imperceptible illumination at night. Ideal for hunting or security purposes, they ensure a peerless discretion, even if the subject is close to the device.

FEATURES FOR ALL BLACK LEDS CAMERAS:

Color pictures by day, black and white by night • Date, time, moon phase and temperature stamp on pictures • Requires an SD/SDHC card up to 32 GB (not included) • USB and TV port (NTSC/PAL) • Adjustable distance detection sensor (5 to 50ft) • Requires 6 alkaline AA batteries (not included) • Can be powered by a rechargeable lithium battery pack *LIT-09* (not included) • 12 volt external jack

* *BF-10HD* model

REMOVABLE INTERNAL CAMERA

ZOOM & PAN

BOTTOM VIEW

* *M8* model

SPECIAL HUNTING CAMOUFLAGE PATTERN OFFICIALLY LICENSED

OFFICIALLY LICENSED Lost Camo® PRODUCTS

Model	Resolution	LEDs	Viewing Screen	Sound Recording	Video Recording	Multi-shot	Time-Lapse Mode	Solar panel compatible	Instant trigger	Adjust. period of operation	*Remos* compatible	Available in camo	Available in black
BF-6	6 MP	35 LEDs	No	No	640 x 480	4 pictures	No	No	No	No	No	Yes	Yes
*M8**	8 MP	46 LEDs	No	Yes	640 x 480	4 pictures	No	Yes	No	No	No	Yes	No
BF-8	8 MP	46 LEDs	No	Yes	640 x 480	4 pictures	No	Yes	No	No	No	Yes	Yes
*BF-10HD**	10 MP	46 LEDs	2.4"	Yes	HD (720p)	6 pictures	Yes	Yes	in Electricity mode	Yes	No	Yes	Yes
HD-12	12 MP	46 LEDs	3.0"	Yes	HD (720p)	6 pictures	Yes	Yes	in Electricity mode	Yes	Yes	Yes	Yes
TINY-3	10 MP	38 LEDs	2.4"	Yes	HD (720p)	6 pictures	Yes	Yes	in Electricity mode	Yes	Yes	Yes	Yes
TINY-W3	10 MP	38 LEDs	2.4"	Yes	HD (720p)	6 pictures	Yes	Yes	in Electricity mode	Yes	Yes	Yes	Yes

INVISIBLE BLACK LEDs

REMOS TECHNOLOGY

HIGH DEFINITION TRAIL CAMERAS

* *HD-12* model

#MS-1

Wireless motion sensor *MS-1* (included with *HD-12 or sold separately*) that allows to trigger the camera remotely, up to 500ft away. Works with all cameras compatible with ***Remos* technology**. Requires 1 alkaline 9V battery or a 12V power supply (not included). Also available in black.

46 LEDs

HD VIDEO WITH SOUND

12 MEGA-PIXEL

3.0" VIEWING SCREEN

WIRELESS MOTION SENSOR *MS-1*:

The *HD-12* camera comes with the *SPYPOINT MS-1* motion sensor, which allows to trigger the camera remotely, up to 500ft away. It is therefore possible to increase the surveillance zone by positioning the *MS-1* device away from your camera, while continuing to use the built-in motion sensor of the *HD-12* camera.

FEATURES FOR ALL HIGH DEFINITION CAMERAS:

Color pictures by day, black and white by night • Date, time, moon phase and temperature stamp on pictures • Requires an SD/SDHC card up to 32 GB (not included) • USB and TV port (NTSC/PAL) • Adjustable distance detection sensor (5 to 50ft) • Requires 6 alkaline AA batteries (not included) • Can be powered by a rechargeable lithium battery pack *LIT-09* (not included) • 12 volt external jack • HD video recording (720p) with sound

REMOVABLE INTERNAL CAMERA

ZOOM & PAN

BOTTOM VIEW

Model	Resolution	LEDs	Type of LEDs	Viewing Screen	Multi-shot	Time-Lapse Mode	Solar panel compatible	Instant trigger	Adjust. period of operation	*Remos* compatible	Available in camo	Available in black
HD-7	7 MP	46 LEDs	Infrared	No	4 pictures	No	Yes	No	No	No	Yes	No
BF-10HD	10 MP	46 LEDs	Black	2.4"	6 pictures	Yes	Yes	in Electricity mode	Yes	No	Yes	Yes
*HD-12**	12 MP	46 LEDs	Black	3.0"	6 pictures	Yes	Yes	in Electricity mode	Yes	Yes	Yes	Yes
TINY-HD	8 MP	38 LEDs	Infrared	2.4"	6 pictures	Yes	Yes	in Electricity mode	Yes	No	Yes	No
TINY-3	10 MP	38 LEDs	Black	2.4"	6 pictures	Yes	Yes	in Electricity mode	Yes	Yes	Yes	Yes
TINY-W3	10 MP	38 LEDs	Black	2.4"	6 pictures	Yes	Yes	in Electricity mode	Yes	Yes	Yes	Yes

TINY-W SERIES (WIRELESS) TRAIL CAMERAS

* *TINY-W2s* model

38 LEDs

8 MEGA-PIXEL

AUTOMATIC WIRELESS BACKUP SYSTEM

2.4" VIEWING SCREEN

MAXIMUM SAFETY WITH THE *BLACKBOX™*:

The wireless range between the *TINY-W2s* camera and the *BLACKBOX™* receiver is 250ft. It is therefore possible to retrieve your photos while staying away from the monitored area. If stolen, this system of wireless backup can be very effective. It is also a good way not to disturb a hunting spot.

AUTOMATIC WIRELESS BACKUP SYSTEM

Works with 6 alkaline AA batteries or a 12 volt power supply.

Requires an SD/SDHC card up to 8 GB (not included).
250ft wireless range.

BLACKBOX™ Receiver (included with *TINY-W2s*)

FEATURES FOR ALL TINY-W WIRELESS CAMERAS:

3 sensors for a total of 7 zone detection range • Color pictures by day, black and white by night • Adjustable period of operation • Date, time, moon phase and temperature stamp on pictures • Requires an SD/SDHC card up to 32 GB (not included) • USB and TV port (NTSC/PAL) • Adjustable distance detection sensor (5 to 50ft) • Requires 6 alkaline AA batteries (not included) • Can be powered by a rechargeable lithium battery pack *LIT-09* (not included) • 12 volt external jack • External trigger jack

SLIDING MOUNT FOR EASIER HANDLING

BOTTOM VIEW

Model	Resolution	LEDs	Type of LEDs	Viewing Screen	Sound Recording	Video Recording	Multi-shot	Time-Lapse Mode	Solar panel compatible	Instant trigger	*Remos* compatible	Available in camo	Available in black
*TINY-W2s**	8 MP	38 LEDs	Infrared	2.4"	Yes	640 x 480	6 pictures	Yes	Yes	in Electricity mode	No	Yes	No
TINY-3	10 MP	38 LEDs	Black	2.4"	Yes	HD (720p)	6 pictures	Yes	Yes	in Electricity mode	Yes	Yes	Yes
TINY-W3	10 MP	38 LEDs	Black	2.4"	Yes	HD (720p)	6 pictures	Yes	Yes	in Electricity mode	Yes	Yes	Yes

REMOS TECHNOLOGY

INVISIBLE BLACK LEDs

TINY-W3 (WIRELESS) TRAIL CAMERAS

* *TINY-W3* model

AUTOMATIC WIRELESS BACKUP SYSTEM

BLACKBOX-D™ Receiver (included with *TINY-W3*)

38 LEDs

HD VIDEO WITH SOUND

10 MEGA-PIXEL

2.4" VIEWING SCREEN

TINY-W3 WIRELESS SYSTEM:

The distance of transmission between the camera and the receiver extends to a wireless range of 500ft. It is therefore possible to combine up to 10 cameras to a single *BLACKBOX-D™* unit to view your pictures and control camera settings remotely.

FEATURES FOR THE *BLACKBOX-D™*:

2.4" viewing screen with zoom and pan functions • 12 volt external jack • TV output • Built-in emergency buzzer • Works with 6 alkaline AA batteries • Can be powered by a rechargeable lithium battery pack *LIT-09* (not included) • Requires an SD/SDHC card up to 32 GB (not included)

COMBINE UP TO 10 CAMERAS TO A SINGLE BLACKBOX-D™

Requires a SIM card in cellular mode

* *LIVE-3G* model

GPS TRACKING ON *LIVE-3G* CAMERAS:

In case of theft, you can follow the movement of your camera with GPS coordinates via *mySPYPOINT* website.

FEATURES FOR ALL CELLULAR & WIFI CAMERAS:

Camera is fully configurable online • Theft alert notification • Color pictures by day, black and white by night • Adjustable period of operation • Time-Lapse mode • Multi-shot mode up to 6 pictures per detection • Date, time, moon phase and temperature stamp on pictures • Requires an SD/SDHC card up to 32 GB (not included) • USB and TV port (NTSC/PAL) • Adjustable distance detection sensor (5 to 50ft) • Requires 8 alkaline AA batteries (not included) • Can be powered by a rechargeable lithium battery pack *LIT-09* (not included) • 12 volt external jack

WIFI TRAIL CAMERAS

DO NOT DISTURB YOUR HUNTING SPOT

UP TO 500FT

Either connect to camera with smartphone, laptop or tablet or connect the camera to an existing network.

#RC-1 — Remote control included to turn ON/OFF the camera, take pictures or turn ON/OFF Wi-Fi network

* *WiFi* model



Increase signal strength with a 16ft external antenna. Works with *LIVE* series cameras, magnetic base, water resistant

#ANT-LIVE

BOTTOM VIEW

Model	Resolution	LEDs	Network	GPS	Viewing Screen	Sound Recording	Video Recording	Video Transfer	Solar panel compatible	Instant trigger	*Remos* compatible	Available in camo	Available in black
LIVE	5 MP	48 LEDs	GSM/GPRS	No	3.5"	No	640 x 480	No	Yes	in Electricity mode	No	Yes	Yes
*LIVE-3G**	8 MP	48 LEDs	3G	Yes	3.5"	Yes	640 x 480	No	Yes	in Electricity mode	Yes	Yes	Yes
*WiFi**	8 MP	48 LEDs	Wi-Fi	No	3.5"	Yes	640 x 480	Yes	Yes	in Electricity mode	Yes	Yes	Yes

ABOUT MYSPYPOINT SERVICE

LIVE LIVE 3G

GET ACCESS TO YOUR PICTURES FROM ANYWHERE, AT ANY TIME!

- Easily access your pictures from anywhere around the world. Pictures are stored on a distant hosting server, so they will always be available.
- View your pictures taken with the *LIVE/LIVE-3G* online via your *mySPYPOINT* account (subscription required). You can use a smartphone, a laptop or a tablet to access your account. Email notifications can also be sent to your inbox to keep you up to date!

ONLINE MANAGEMENT OF YOUR CAMERA

- *mySPYPOINT* gives you full control over your camera, from your home. Get the status of the camera: battery level, SD card capacity, data quota, temperature, etc.
- Change camera settings: delay between detection, wireless transmission frequency, multi-shot mode, picture resolution, etc.

STOLEN CAMERA?

- An alert is sent by email if your camera is moved unexpectedly or shocked. GPS coordinates can also be used to track the camera (*LIVE-3G* only).
- If your camera is stolen or your computer breaks down, your pictures remain available on your *mySPYPOINT* account.

ABOUT WIFI FUNCTIONALITIES

WiFi

HUNTING MODE

- The network of the *WiFi* camera can be enabled or disabled using the remote control *RC-1* (included) and allows the hunter to access his camera while staying away from his hunting spot.
- Connection to the *WiFi* camera is possible with a smartphone, laptop or a tablet to view pictures and videos or to change settings.

SECURITY MODE

The *WiFi* camera can be connected to an existing Wi-Fi network. This mode enables monitoring when using a computer connected to this same network.

MYSPYPOINT MODE

When the *WiFi* camera is connected to an existing network, it can use *mySPYPOINT* service to host pictures. Online configuration of the camera is also possible via *mySPYPOINT* website (subscription required).

VISIT OUR FREE DEMO ACCOUNT

Go to ***mySPYPOINT*.com** (or scan QR code) and enter this information to try it yourself!

Email:
demo@spypoint.com

Password:
123456

INFRARED BOOSTER

IR-Booster *(#IRB-W)*

IR-Booster Black LEDs Edition *(#IRB-W-B)*

FEATURES FOR ALL IR-BOOSTER:

100 LEDs • 2 levels of intensity (50 or 100 LEDs) • Triggered by a wireless transmitter (included) • 50ft wireless range • Compatible with most trail cameras • When used with *Remos* compatible cameras, the transmitter is not necessary • Requires 4 alkaline D batteries or a 12 volt external power supply (not included) • Low battery indicator • Transmitter requires 2 alkaline AAA batteries (not included).

1 **CAMERA**
(Key light)

The transmitter synchronizes with the infrared LEDs of the camera.

Transmitter



When used with *Remos* compatible cameras, the transmitter is not necessary.

2 **IR-BOOSTER**
(Fill light)

The **IR-BOOSTER** is instantly triggered by a wireless signal.

MOTION DETECTION SYSTEM

#WRL-B Detector

#WRL Receiver

UP TO 1000FT WIRELESS RANGE

FEATURES:

Vibrates or beeps on detection • Receiver can accept 4 more detectors (optional *WRL-B*) • The *WRL-B* detector can be combined with *SPYPOINT SDB-85* audio repeller for wireless triggering • Adjustable distance detection sensor up to 50ft • Wireless range up to 1000ft (under ideal conditions) • Water resistant and shock resistant • Selection of 3 differents channels • Each device requires a 9V alkaline battery (not included) or a 12V power supply • Low battery indicator

ACTION VIDEO CAMERAS

*XCEL HD model

Remote control to START/STOP camera (included). HDMI cable and lens protector also included.

1080p FULL HD VIDEO — 5 MEGAPIXEL PHOTOS

XCEL HD INCLUDES:

Clear waterproof casing | Roll bar 360° mount | Extenders | Quick release stands (2) | Curved / flat adhesive

#SPORT-ACC— Includes all mounting brackets, adapters and casing mentioned above (without camera and remote control).

XCEL HD HUNTING EDITION INCLUDES:

Camo water-proof casing | Bow mount | Quick release stands (2) | Scope mount | Head strap mount

#HUNT-ACC — Includes all mounting brackets, adapters and casing mentioned above (without camera and remote control).

#HEAD STRAP — Head Strap mount. Fully adjustable strap, fits all sizes and includes a removable over head strap. Compatible with all *Xcel HD* cameras.

#SUCTION — Suction mount to attach the *Xcel HD* camera on your car, boat, VTT, motorcycle or anywhere you want to catch great steady footage.

*X-CEL Hunt model

30FT WATER-PROOF — VIDEO RECORDING WITH SOUND

X-CEL INCLUDES:

Forehead mount | Helmet mount | Bow mount | Scope mount (24mm)

#SC-30mm — Optional 30mm mounting bracket for scope, camo pattern.

Model	Video Recording	Sound Recording	LCD Screen	Batteries	Waterproof	Wide angle lens	Micro-SD card (not included)	Ports	Available in camo	Available in black
*X-CEL Hunt**	640 x 480	Yes	Basic	2 X AA	Down to 30ft	70°	up to 8 GB (class 6 or higher)	USB and TV-OUT	Yes	No
X-CEL Sport	640 x 480	Yes	Basic	2 X AA	Down to 30ft	70°	up to 8 GB (class 6 or higher)	USB and TV-OUT	No	Yes
*XCEL HD**	1080p	Yes	Advanced	Lithium battery pack	With Casing	170° (in 720p)	up to 32 GB (class 4 or higher)	USB out, Micro-HDMI out and MIC in	With Casing	Carbon Fiber

AUDIO REPELLER "SOUNDBOX"

Soundbox (#SDB-85)

85 DECIBELS SOUND LEVEL

25 WATTS MAX POWER

FEATURES FOR THE SOUNDBOX:

Supports standard MP3 audio files • One default alert sound included (siren) • Maximum power of 25 watts • Up to 85dB sound level • Requires an SD/SDHC card up to 32 GB (not included) • Detection range from 5 to 50ft • Compatible with *SPYPOINT WRL-B* for wireless triggering • Headphone or external speaker output jack • External trigger jack • Can be powered by 2 *SPYPOINT* rechargeable lithium batteries *LIT-09* or 12 alkaline AA batteries (not included) • 12 volt external jack

BOTTOM VIEW

INSIDE VIEW

POWER

#CB-12FT — Power cable with alligator clips at one end to connect a 12 volt battery to a camera, 12ft long

#LIT-C-8 — Rechargeable lithium battery and AC charger, fits most *SPYPOINT* cameras and audio repeller

#BATT-12V — 12 volt 7.0Ah rechargeable battery and AC charger

#AD-12V — AC adaptor (6V to 12V) to power the camera from electrical supply

#KIT-12V — 12 volt 7.0Ah rechargeable battery and AC charger with water resistant ABS plastic case. 12ft power cable (*#PW-12FT*) and installation strap included

#SP-12V — Solar panel with adjustable steel mounting kit. Can be used to maintain recharged lithium battery directly into compatible devices. Can also be combined with any 12 volt battery

#LIT-09 — Additional rechargeable lithium battery, fits most *SPYPOINT* cameras and audio repeller

#KIT6V-12V — Universal kit with two 6V rechargeable batteries (2.8Ah), with 6V (5.6Ah) and 12V (2.8Ah) output configuration, AC charger with water resistant ABS plastic case. 12ft power cable and strap included. Camo pattern.

#RC-1 — Four button wireless remote control. Works with all cameras compatible with *Remos* technology (up to 500ft). Battery included

#PW-12FT — Spare 12ft power cable, fits with *KIT-12V*

Mounting Arm #MA-360
Also compatible with steel security box #SB-T

INSTALLATION & SECURITY

FEATURES FOR DUMMY CAMERAS:

#DUMMY — These empty camera housings look just like the real thing. Although dummy cameras won't catch a criminal, studies have shown that just the presence of a security camera has prevented crimes like robbery, theft and vandalism. Also available in black *(#S-DUMMY)*

#SB-91 — Steel security box, fits all *SPYPOINT* cameras (*except *TINY*, *LIVE* and *WiFi* series cameras). Fits 6.9"H x 5.1"W x 2.6"D cameras, also available in black

#SB-92 — Steel security box, fits *SPYPOINT* cameras *IR-A*, *IR-B*, *IR-C*, *LIVE* series, *WiFi* series. Fits 8.5"H x 6.5"W x 3.7"D cameras, also available in black

#SB-T — Steel security box, fits *SPYPOINT TINY/TINY-W* series cameras, also available in black

#CL-6FT — Cable lock, fits all *SPYPOINT* cameras and more, 6ft long

#MA-360 — Adjustable mounting arm, fits all cameras that have a standard ¼-20" threaded insert. It can rotate 360° and tilt approx +/- 90°, also available in black

#TP-CAM — Lightweight tripod, aluminum, black color, with unique anchor system. Max height: 4.9ft (1.5m), Min height: 1.7ft (0.5m). Max load weight: 5kg (11lbs). With removable quick release plate. Fits with most *SPYPOINT* product

MEMORIES & VIEWERS

#PV-2.4

2.4" VIEWING SCREEN DIGITAL CAMERA

FEATURES FOR THE PV-2.4:

Digital camera with 2.4" viewing screen • Compatible with SD cards • MP3 • Radio • Sound recording • 2GB internal memory • Headphones • USB cable • Rechargeable lithium battery • AC charger • Carrying case (all included)

#SD-8GB — SDHC memory card 8GB, High speed Class 6

#MICRO-SD-4GB — 3 in 1 Kit includes Micro-SD 4GB card and adaptors for Mini-SD and SD cards

#PV-9 — Picture viewer with 2.5" viewing screen. To view and erase photos and videos on cameras without viewing screen

#RD25-1 — USB Multi-card reader all-in-one. Compatible with most memory cards (SD, CF, MS, MMC, MS, XD…)

ELECTRONIC EAR MUFFS

10X HEARING ENHANCEMENT

4 MICRO-PHONES 360° SURROUND SOUND

These amplified ear muffs increase (from 6 to 10 times, according to the model) low sounds like voices, animal sounds and leaf noises. They also decrease violent sounds and harmful noises (more than 85dB) like gun shots. The amplified ear muffs allow the hunter to maximize his concentration during a shooting situation.

*EEM4-25 model

FEATURES FOR ALL ELECTRONIC EAR MUFFS:

Plug in for external microphone • Independent volume control on each side (On/Off) • Hearing protection • Automatically blocks sounds over 85dB • Adjustable padded headband

#MIC-EEM — Additional omni-directional microphone to set outside of a hunting blind. Fits with *EEM2* & *EEM4* series electronic ear muffs, 10ft long cable. Included with *EEM4-25* model

#EP-AMP — Powerful amplification up to 50dB, adjustable volume, fits right and left ear. Ultra compact design. Battery included

EAR MUFFS

FEATURES FOR EAR MUFFS:

Hearing protection of 21dB • Adjustable padded headband for excellent comfort • Lightweight • Ergonomic cup and foldable design

* Modèle *EM-24-C*

Model	Hearing Enhancement	Number of Microphone	Additional Mic. (*#MIC-EEM*)	Sound Amplification	Batteries included	Available in black	Available in camo	Available in green
*EM**	N/A	N/A	N/A	N/A	N/A	Yes	Yes	Yes
EEM2-24	6 Times	2	No	Stereo	4 X AAA	No	Yes	Yes
EEM4-24	8 Times	4	No	Stereo	4 X AAA	No	Yes	Yes
*EEM4-25**	10 Times	4	Yes	Surround	4 X "N" (LR1)	No	Yes	Yes

UNIVERSAL GAME CALLER & WIRELESS CONTROLLER

120 UP TO DECIBELS **330FT** WIRELESS RANGE

Developed for the beginner and the advanced Outdoors person in mind, this innovative 3-piece sound device will be beneficial to hunters, photographers, naturalists, bird watchers and anyone else interested in the great outdoors. Our Universal Game Caller features a unique interchangeable sound card system, by simply replacing one sound card with another.

FEATURES FOR THE UNIVERSAL GAME CALLER & WIRELESS CONTROLLER:

10 volume control levels • Up to 120dB • External 3.5mm audio socket • Requires 4 X AAA batteries or external DC6-9 or 12V (not included) • Wireless Controller requires 3 X AAA batteries (not included) • Wireless Controller operating distance of approximately 330ft • Interchangeable sound cards (1 card included) • Five sounds per card

Universal Game Caller, *#Caller* (without wireless controller)

Also available with Controller (e.g. *#Kit-Whitetail*)

Wireless remote controller, *#Controller* (also sold separately), extendable antenna

UNIVERSAL GAME CALLER & WIRELESS CONTROLLER:

Caller + Controller + 1 Sound card
Version available:
- Whitetail (*#Kit-Whitetail*)
- Moose (*#Kit-Moose*)
- Predator (*#Kit-Predator*)

UNIVERSAL GAME CALLER:

Caller + 1 Sound card
Version available:
- Whitetail (*#Caller Whitetail*)
- Moose (*#Caller Moose*)
- Predator (*#Caller Predator*)

Amplified Speaker, *#Amplifier* (Sold separately)
Amplified speaker for the universal game caller. Enhances 2x the sound and volume. Tone control switch. Battery power indicator. 6 X AA alkaline batteries. External 1/8 audio jack. Audio cable included.

2X SOUND AMPLIFICATION (AMPLIFIES THE CALLER)

SOUND CARDS AVAILABLE:

- Whitetail (*#Card Whitetail*)
- Whitetail 2 (*#Card Whitetail2*)
- Moose (*#Card Moose*)
- Moose 2 (*#Card Moose2*)
- Predator (*#Card Predator*)
- Predator 2 (*#Card Predator2*)
- Wild Turkey (*#Card Turkey*)
- Goose (*#Card Goose*)
- Mallard Duck (*#Card Duck*)
- Elk (*#Card Elk*)

SALT PASTE

SPYPOINT salt paste will provide your game with all the necessary salts and minerals not always sufficiently found in natural food. The smell of Apple, Anise or Acorn allows the game to rapidly find the licking point. Its paste-like texture permits easy application, (e.g. to a tree) and will therefore last longer than all other attractants.

FEATURES FOR THE SALT PASTE:

4.4lbs (2KG) bucket • ALL-in-ONE: Salt + Minerals + Flavor • Lasts longer due to its paste-like texture • Comes in three natural flavors: Apple, Acorn and Anise

Acorn and Apple

Anise

Anise

SCENT DISPENSER

#SSD
Scent Dispenser

Inside view

UP TO 3000 SPRAYS PER CANISTER

FEATURES FOR THE SCENT DISPENSER:

Programmable scent dispersal system ensures the vaporisation of the zone according to the pre-defined set-up • Requires 2 alkaline D batteries (not included) • Requires a *SPYPOINT* scent canister of 7 OZ. / 300mL (not included) • Installation strap included • Scent Canisters are available in four natural flavors: Apple, Anise, Acorn and Corn

Acorn, Apple and Corn

Anise

Anise

#C-Apple *#C-Acorn* *#C-Anis* *#C-Corn*

OUTDOORS ACCESSORIES

#KIT-LFT

MULTI-TOOL

NYLON POUCH

6 OZ. FLASK

FLASHLIGHT

Outdoor Kit: Flashlight with 9 white LEDs • Heavy duty stainless steel multi-tool with 12 handy functions • Nylon pouch • 6 OZ. stainless steel alcohol flask with *SPYPOINT* whitetail design

#HL-1PW — Headlamp 1 Ultra bright LED. 2 brightness settings and security light, camo pattern, batteries included

#HL-10 — Headlamp with 10 LEDs. 3, 6 or 10 LEDs lighting mode, camo pattern, batteries included

#HL-6 — Caplight with 6 LEDs. 2, 4 or 6 LEDs lighting mode, batteries included

#MT-11 — Heavy duty stainless steel multi-tool. 11 handy functions, nylon pouch, 3" blade and flashlight, camo pattern

#CQ-SPY — *SPYPOINT* hat, camo pattern
#BH-SPY — *SPYPOINT* beanie hat, black

#F-8 — 8 OZ. Stainless steel alcohol flask, camo pattern

#VF-1 — 1L, Stainless steel vacuum flask, camo pattern

#CT-1 — 1L, Aluminum canteen with snap hook, camo pattern

HEATED SEAT CUSHION

#HSC-B

#HSC-C

Rechargeable battery

Charger

FEATURES FOR HEATED SEAT CUSHION:

Provides long hours of warmth • High or low power setting • Water resistant material • Cordless and easy to carry • Rechargeable lithium battery and AC charger included • Ideal to install on a tree stand

SCOPE OPTIMIZER

#OPTI-38 / #OPTI-41 / #OPTI-43

FEATURES FOR OPTIMAX:

Protects your eyes and glasses • Speed up shooting, Maximize scope brightness • Eliminate sun reflexion • Protect against rain and snow • Available in 38mm, 41mm and 43mm • **German Technology and Manufacture**

FACEBOOK.COM/SPYPOINT

YouTube YOUTUBE.COM/SPYPOINTTRAILCAM

TWITTER.COM/SPYPOINTCAMERA

TRAIL CAMERAS & MONITORING SYSTEMS

SPYPOINT

mySPYPOINT.com

GG TELECOM
Engineering and manufacturing

* Actual products may differ in appearance from the images shown in this catalog.